Q.P. Code: 548301

(3 Hours)

[Total Marks: 60

N.B. : (1) Question No. 1	18	compulsory
----------------------------------	----	------------

- (2) Figures to the right indicate full marks
- (3) Solve any three questions out of remaining five questions
- (4) Assume suitable data if necessary

1. Solve any three:-

- (a) A pole 3 phase, 50Hz induction motor runs at a speed \$1470 rpm speed. Find the fraction of the first speed of 1470. rpm speed. Find the frequency of the induced emf in the rotor under this condition.
- State and explain voltage equations of a dc motogo
- (c) Define the slip of an induction motor explain its significance.
- Explain the construction of permanent magnet synchronous motor.
- Susitched reluctance motor.
- Derive the torque equation for a three phase induction motor. 2. (a)

- A 24 pole, 50Hz star connected induction motor has rotor resistance (b) of 0.016Ω per phase and rotor reactance of 0.0265Ω per phase at standstill. It is achieving its full load torque at a speed of 247 rpm. Calculate the ratio of.
 - (i) Full load torque to maximum torque
 - (ii) Starting torque to maximum torque.
- State and explain voltage and current relations for long shunt compound 7 3. (a) motor and short shunt compound motor.
 - A 230V dc shunt motor runs at 800rpm and takes armature current of 8 50A. Find resistance to be added to the field circuit to increase current of 80A. Assume flux proportional to field current. Armature resistance = 0.15Ω Field resistance = 250Ω
- Explain the principle of operation of capacitor start and capacitor run Single phase induction motor. along with the torque-slip characteristics and the applications.

Explain the construction and working of bipolar brushless dc motor.

TURNOVER

- Explain construction and working of multistack variable reluctance (a) stepper motor.
 - Explain the construction and working of switched reluctance motor. (b)
 - Write short notes on
 - (a) DC series motor starter
 - (b) Autotransformer starter
 - Split phase induction motor

Respondent States State

		(3)	Hours)			[Total Marks	: 80
N.B.	(2) (3) (4)	Solve any four questions Assume suitable data if i	out of required.		ing six.		
1.	A (a)	Calculate the percentage depth of 100 percent, who suppressed.	power sa	iving	in AM modul	lated wave to a ne sidebands are	20
	(b) (c) (d) (e)	Describe briefly the form Explain natural and flat t Explain companding and	op sampl its need	ing co	ompare the tw nmunication.		5
	(b)	With the help of Block diagonal The output voltage of a transfer of the control o	nsmitter i to a load y	is give	en by 500 (1-	+0.4 sin 3140 t) sin ce Determine frequency	10 10
3.	(a) (b)	Describe delta modulation they overcome? Explain Armstrong method diagram and phasor diagra	l of FM g				10 10
4.	(a) (b)	Explain the following term (i) Signal to -noise (ii) noise figure Explain the operation of the	ratio			и	10 10
5.	(a) (b)	Explain generation of PAN State and explain importan	M, PPM	and P	WM with wa	veforms.	10 10
6.	Writ (a (c		(b) (d)		noise triangle emphasis and	De-emphasis	20

QP CODE: 548103

(3 Hours)

[Total Marks: 80

NB:-

MIROTO ARES SENTED TO

- a) Question number 1 is compulsory.
- b) Attempt any three questions out of remaining questions.
- c) Assume suitable data wherever necessary.
- 1. Attempt following questions;


20

- a) Compare Open loop control system with closed loop control system.
- b) Explain the methods to determine the stability of system.
- e) How to find GM and PM from Bode plot.
- d) Explain Lag-Lead Compensation.
- 2. a) Explain and derive the rules for reduction of block diagram in control system.

10

10

b) Determine the transfer function of the control system represented by following block diagram



3. a) The open loop transfer function of a unity feedback system is given by

10

$$G(s) = \frac{K(s+1)}{s(s+2)(s+3)}$$

Sketch the root locus and find the range of values of K for the system to be stable

b) Explain the rules to construct the root locus.

10

4. a) Examine the observability of the system given below.

10

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \\ \dot{x}_3 \end{bmatrix} = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & -2 & -3 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix} \mathbf{u} = \mathbf{A}\mathbf{x} + \mathbf{B}\mathbf{u}$$

b) Derive the time response expression for second order underdamped control system for unit step input.

a) Sketch the Bode Plot for the open loop transfer function given by

10

$$G(s) = \frac{4(s+5)(s+10)}{s^2(s+20)}$$

b) Explain the correlations between time and frequency domain specifications of the system.

10

a) Find polar plot for the transfer function given below

$$G(s) = \frac{12}{s(s+1)}$$

b) A system is represented by the state equation

$$x(t) = \begin{bmatrix} 0 & 1 \\ -4 & -5 \end{bmatrix} x(t) + \begin{bmatrix} 0 \\ 1 \end{bmatrix} u(t)$$

Find the State transition matrix.

Course: S.E. (Sem IV) (CBSGS) (All Branch)

OP Code: 548103

Question No. 4 a

Please read it as follows:

$$\begin{bmatrix} \dot{x_1} \\ \dot{x_2} \\ \dot{x_3} \end{bmatrix} = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & -2 & -3 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} + \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix} \mathbf{u} = \mathbf{A}\mathbf{x} + \mathbf{B}\mathbf{u}$$

Query Update time: 15/12/2016 04:49 PM

Q. P. Code: 545800

Duration: 3 Hours

(Revised Course)

Total Marks: 80

N.B.: 1) Q.1. is compulsory.

- 2) Attempt any three from the remaining.
- Q.1. a) If f(x) is an algebraic polynomial in x and λ is an eigen value and X is the corresponding eigen vector of a square matrix A then $f(\lambda)$ is an eigen value and X is the corresponding eigenvector of f(A).

b) Find the extremal of
$$\int_{x_0}^{x_1} (x + y')y'dx$$
 (5)

- c) Express (6,11,6) as linear combination of $v_1 = (2,1,4), v_2 = (1,-1,3), v_3 = (3,2,5).$ (5)
- d) Evaluate $\int_C \frac{z}{(z-1)^2(z-2)} dz$, where C is the circle |z-2|=0.5 (5)
- Q.2. a) Find the curve y = f(x) for which $\int_{0}^{\pi} (y'^2 y^2) dx$ is extremum if $\int_{0}^{\pi} y dx = 1$. (6)
 - b) Evaluate $\int_{0}^{2\pi} \frac{\cos 3\theta}{5 + 4\cos \theta} d\theta$ (6)
 - c) Find the singular value decomposition of $\begin{bmatrix} 2 & 3 \\ 0 & 2 \end{bmatrix}$ (8)
- Q.3. a) Verify Cayley Hamilton theorem for $A = \begin{bmatrix} 3 & 10 & 5 \\ -2 & -3 & -4 \\ 3 & 5 & 7 \end{bmatrix}$ and hence, find the matrix

represented by
$$A^6 - 6A^5 + 9A^4 + 4A^3 - 12A^2 + 2A - I$$
. (6)

- b) Construct an orthonormal basis of R^3 using Gram Schmidt process to $S=\{(3,0,4),(-1,0,7),(2,9,11)\}$
- c) Find all possible Laurent's expansions of $\frac{z}{(z-1)(z-2)}$ about z=-2 indicating the region of convergence. (8)

[Turnover

(6)

Q.4. a) Reduce the quadratic form $2x^2 - 2y^2 + 2z^2 - 2xy - 8yz + 6zx$ to canonical form and hence, find its rank, index and signature and value class. (6)

b) If
$$\phi(\alpha) = \int_{C}^{\infty} \frac{4z^2 + z + 5}{z - \alpha} dz$$
, where C is the contour of the ellipse $\frac{x^2}{4} + \frac{y^2}{9} = 1$, find the values

of
$$\phi(3.5), \phi(i), \phi'(-1), \phi''(-i)$$

c) Using Rayleigh–Ritz method , solve the boundary value problem $I = \int_{0}^{1} (y'^2 - y^2 - 2xy) dx$; $0 \le x \le 1$, given y(0) = y(1) = 0. (8)

Q.5. a) Find the extremal of the function
$$\int_{0}^{\pi/2} (2xy + y^2 - y'^2) dx$$
; with $y(0) = 0$, $y(\pi/2) = 0$ (6)

b) Find the orthogonal matrix P that diagonalises
$$A = \begin{bmatrix} 4 & 2 & 2 \\ 2 & 4 & 2 \\ 2 & 2 & 4 \end{bmatrix}$$
 (6)

c) Using Cauchy's Residue theorem, evaluate
$$\oint_C \frac{z^2+3}{z^2-1} dz$$
 where C is the circle (i) $|z-1|=1$ (ii) $|z+1|=1$.

(8)

Q.6. a) Find the sum of the residues at singular points of
$$f(z) = \frac{z}{(z-1)^2(z^2-1)}$$
 (6)

b) If
$$A = \begin{bmatrix} 1 & 4 \\ 2 & 3 \end{bmatrix}$$
, prove that $A^{50} - 5A^{49} = \begin{bmatrix} 4 & -4 \\ -2 & 2 \end{bmatrix}$ (6)

c) (i) Check whether W={(x,y,z)|y=x+z, x,y,z are in R} is a subspace of R³ with usual addition and usual multiplication. (4)

(ii) Find the unit vector in \mathbb{R}^5 orthogonal to both u=(1,0,1) and v=(0,1,1). (4)

0.810 Sup

Sem-IX ETRX (CBGS) Microprocessor & peripherals

8/12/16.

Q.P. Code: 548002

			(3 Hours)	Total Marks: 80
N.B		(2) A	uestion No.1 is compulsory ttempt any three questions out of remaining five questions sume any suitable data wherever required and justify the	N. C.
Q1.	Att	empt	the following.	20
		a)	Compare architectural features of 8085 and 8086.	18/
		b)	What is multiprocessor system? Give advantages.	C. V
		c)	Explain memory R/W cycle of any processor.	all Blow
		d)	What is interrupt? Give its application	e S
Q2	a)	Des	cribe architecture of 8086.	10
1.55	b)		lain 8237-DMAC and its interfacing.	10
Q3	a)	Exp	lain various addressing modes of 8086 with examples	. 10
	b)		at is 8255-PPI? Draw interfacing of 8255 with 8085/86	
Q4	a)	Wri	te an 8086 assembly language program for ordering (ascending or
			cending) a sequence of 5 numbers.	10
	b)		at is need of bus arbitration? Explain 8289.	10
Q5			64 K bytes of program memory (ROM) and 12 K b	
			(RAM), 8bit 1/0 ports with 8086. Draw detailed circ	uit diagram,
	Me	mory	map, 1/0 map. (Assume 8K capacity devices)	20
Q6	Wr	ite sh	ort notes on.	20
		a)	Loosely coupled system.	
		b)	Segmentation in 8086: usages and challenges.	
		()	Nested interrupts using \$250PIC	

MIRO

QP Code: 547804

(3 Hours)

[Total Marks: 80

5

10

N.B.: (1) Question No. 1 is compulsory

- (2) Solve any three from remaining questions.
- (3) Assume suitable data if necessary.
- (4) Draw neat and clean diagram
- 1. Solve any four.
 - (a) For the given circuit Draw output voltage waveform

OV PP.

JANE

De vo


- (b) Design fixed bias JFET circuit for I_D=3mA.

 Assume IDSS = 10 mA & Vp = -6V
 (c) Compare CS-CS Amplifier with CE-CE Amplifier

 (d) What are disadvantages of colpitt oscillator

 (e) Explain any one technique to improve CMRR in differential amplifier.

 5
- 2. (a) For the given circuit find ICq, VCEq, VC & VE.



[TURN OVER]

- (b) Derive equation of voltage gain, Input resistance and output resistance of voltage divider biased JFET amplifier.
- 3. (a) Explain High frequency response of JFET amplifier.

10


(b) Explain Wien bridge oscillator in brief.

10


4. (a) For the given differential amplifier, Calculate

10

- (i) Q-point $(I_{Cq} \text{ and } V_{CEq})$
- (ii) Differential Gain (Ad)



4. (b) For the given FET circuit find IDq and VDSq



QP Code: 547804

5.	(a) E	explain class B power Amplifier in brief.	10
	(b) E	Explain CASCODE Amplifier with its applications.	10
6.		short note on:	20
	(a)	Voltage shunt feedback Amplifier.	
	(b)	Wilson Current Source	
	(c)	Darlington Amplifier	30
	(d)	Difference between CB and CC Amplifier	