Q.P. Code: 591502

(3 Hours)

[Total Marks: 80

10

10

10

N.B.: (1) Question No. 1 is compulsory.

- (2) Attempt any three questions from the remaining five questions.
- (3) Assume suitable data if required, stating them clearly.
- 1. Answer the following questions:

(a) What is the significance of AWGN channel.

- (b) What is the capacity of a Gaussian channel and state its importance.
- (c) Differentiate between QPSK and OQPSK.
- (d) Discuss on code efficiency and Hamming bound.
- (e) Explain the significance of eye pattern.
- 2. (a) Develop MSK waveform (with all intermediate waveforms) for the given bit stream 11000111 for m=5 & n=1 on the graph paper.
 - (b) A (7,4) cyclic code is generated using the polynomial $x^3 + x + 1$
 - (a) Generate the systematic cyclic code for the data 1100.
 - (b) Draw the encoder & show how parity bits are generated for the data 1100.
- 3. (a) Compare BASK, BFSK & BPSK based on following parameters:- bandwidth requirement, noise immunity, transmission rate, efficiency & applications.
 - (b) The parity check matrix [H] of linear (7,4) block code is as follows:

 $\mathbf{H} = \begin{bmatrix} 1 & 1 & 1 & 0 & 1 & 0 & 0 \\ 1 & 1 & 0 & 1 & 0 & 1 & 0 \\ 1 & 0 & 1 & 1 & 0 & 0 & 1 \end{bmatrix}$

- (i) Find generator matrix
- (ii) Determine the code vector for: M1= 1010 & M2= 1110.
- (iii) Draw the encoder using shift registers & EX-OR gates.
- (iv) Obtain syndrome matrix for following received sequences: R1=0100101 & R2=1110100
- (v) Comment on syndrome calculated in above (d).

TURNOVER

4.	(a)	probabi (i) (ii) (iii) (iv)	Determine Determine Determine Determine Plot the	r Pe = (2 ine Proba ine Proba ine Proba all poss	2/5) per dability of ability of ability of ability of ability of ability of	igit. occurrence message h message h abilities o	ce of erro aving erro aving erro f occurre	el having a rless message. or in any two d for in all digits nce of error	igits
	(b)	hop sp	re the directed spectron processin	um (FH	55) Willi	respect to	principie	and frequence and perform	cy- 10
5.	(a)	Find th	ne probabil	ity of err	or of mat	ched filte	r. Comme	ent on your res	sults. 10
	(b)	1 lead in almbabat of fire symbol with their 10							
			mbol	S1	S2	S3	S4	S5	
		Pr	obability	0.15	0.11	0.19	0.40	0.15	
	1,707.00	nstruct :	(b)	Shannon	Fano Co	r each syr	ch symbo		
	De	termine i	following p verage Coc	aramete le-word	rs for bot length	n coding i	nemous (a) and (b):	
		(ii) E	ntropy	- 200					
		(iii) C	ode Efficie	ency					
		(iv) C	ode Redur	idancy					
(5. (a)	Draw of oc	signal space	ce diagra	m for 16- it with Q	QAM sys	tem and o	compare proba	ability 10
	(b)) State signi	Nyquist's (ficance in D	Criterion Duo-bina	for distory encodi	ortion less ng.	Transmis	sion. State its	10
		1 to 1 to 2 to 3							

(3 Hours)

[Total Marks: 80

N.	B.: (1) (2)	Solve any three from question no. 2 to question no. 6			
	(3)	Right figures indicate the marks.			
а	C = 1				
1.	020 28	ny four			
	(a)	Point charges $Q_2 = 300 \mu C$ located at $(2, -1, -3)$ m in experiences a	5		
		force $\overline{F}_2 = 8a\overline{n} - 8a\overline{y} + 4a\overline{z}$ N due to point charge Q_1 at $(3, -4, -2)$ m. Determine Q_1			
	(b)	The height of a monopole antenna is $\lambda/100$, what is radiation resistance of antenna.	5		
	(c)	State and explain Biot-Savart law.	5		
	(d)	Find out the divergence and curl of the following function	5		
		$\overline{F} = 2 x^2 y \overline{a}_x + (x^2 + z) \overline{a}_y + yz^3 \overline{a}_z$			
	(e)	Explain what do you mean by skin depth for lossy media with respective to signal passing through lossy media.	5		
2.	(a) Der	rive maxwells integral and point form of equation for static fields.	10		
		d electric field intensity \overline{E} due to an infinite line charge.	10		
3.	(a) Define the polarization of wave. Explain different types of polarization.(b) Derive boundary condition for electric and magnetic fields at the boundary of two dielectric media.				
	() F		10		
4.	(a) Explain in detail FDM method also state advantage and drawback of it.(b) State Poynting theorem and derive the average poynting vector.				
5	(a) De	rive the Evaressian for radiation power of Hartizon antanna	10		
(a) Derive the Expression for radiation power of Hertizen antenna.(b) Explain the principle modes of operation of helical antenna and draw its radiation pattern.					
6.	Solve a	iny two:			
	(a)	Classify and explain different type of wave propagation	10		
	(b)	Explain the significance of the term "effective area of an antenna", Derive the relationship between effective area and directivity of any	10		
		antenna.			
	(c)	Explain following terms; critical frequency, virtual height, maximum	10		

usable frequency.

	The second secon	
1	Microcontrollers & Application. TE Sem V 6BGS FRX Q. P. Code: 591300	
-	Microcontrollers & Application. TE Sem V 6BGS ERR Q. P. Code: 591300	R
	03/12/16 (3 Hours) ETRX [Marks: 80]	
N.B	 (1) Question No.1 is compulsory. (2) Solve any three questions from the remaining five questions. (3) All questions carry equal marks. 	
Q.l	(a) Describe the SCON and SBUF - SFR's in 8051.	05
	(b) Explain the function of the barrel shifter in the ARM7 core.	05
	(c) Draw and explain the CPSR register of the ARM processor.	05
	(d) Explain the concept of register banks in 8051.	05
Q.2	(a) Explain the structure of the Input/Output ports of the 8051 with neat diagram.	10
	(b) Explain in detail the operating modes of the ARM7.	10
Q.3	(a) Write an assembly language program to transfer a block of data in memory using load and store instructions of the ARM7.	10
	(b) Write a detailed note on the Interrupt structure of the 8051 and explain the related SFRs.	10
Q.4	(a) Write an assembly language program for interfacing 'YES' serially at 9600 band continuously using the 8051.	10
	(b) Explain the interfacing of 8051 to external memory with the help of suitable diagram. (Make necessary assumptions)	10
Q.5	(a) "ARM-Thumb interworking improves the code density". Justify with a neat example.	10
	(b) Write a program (with and without timer) to generate a square wave on pin Pl.Z. Highlight the difference in the two methods.	10
Q.6	Write short note on (any three). a) DC motor interfacing with 8051. b) ARM7 Architecture. c) Power saving modes of the 8051. d) Thumb state of the ARM7.	20

Course: T.E. (SEMV) (REV2012) (CBSGS) (Prog T3225)	
QP Code: 591300	
Correction:	
Correction in Q. 5 bInstead of pin P1.Z Read as pin P1.7	

Query Update time: 03/12/2016 02:55 PM

Q.P. Code: 591200

10	W W .	1
1 4	Hours	
	HUULI	, ,
1 -		

[Total Marks: 80

N.I	B. : ((1) Question No.1 is compulsory and Solve any three from remaining questions.	
		(2) Assume suitable data if necessary.	
			3
1.	So	lve any four questions:	
		(a) Explain the need of dual power supply in Op-amp.	5
		(b) What is ideal integrator? How disadvantages of Basic integrator can be overcome?	5
		(c) What is difference between normal rectifier & precision rectifier. Explain half wave precision rectifier.	5
		(d) List important specifications of ADC 0808.	5
		(e) Compare voltage regulator with IC 78XX with IC 723.	5
2.	(a)	Give complete analysis of inverting amplifier Op-amp circuit. Hence design	10
	24 8	it for voltage gain = 10.	10
	(b)	Design RC phase shift oscillator for frequency equal to 10 kHz.	10
3.	(a) (b)	Design Schmitt trigger circuit to achieve $UTP = 2V \& LTP = -2V$. Explain Dual slope ADC in detail with its advantages & disadvantages.	10 10
	(0)	Explain Baar stope in a data for the advantages of second	
4	(2)	Explain PLL using block diagram of 565 PLL.	10
т.		Design voltage regulator for given specification using 78XX & 79XX IC's	10
	(0)	$V_0 = \pm 12V$, $I_L = 100 \text{ mA}$.	
5.	(a)	Give different filter classifications and hence explain Butterworth &	10
		Chebyshev Response.	
	(b)	Explain triangular wave generator using Op-amp.	10
	(% A)		
6.	A	ttempt any four questions:	20
		(a) Level detector	
		(b) Voltage to current converter	
		(c) Monostable multivibrator using IC 555	

(d) Functional diagram of IC 723

Course: T.E.	(SEMV)
QP Code:	591200

Correction:

In Question 6 correction is "Solve all" instead of solve any 4

Query Update time: 28/11/2016 03:46 PM