SECSEMINE) CCBSGSS COMPUTER GRAPHICS COMPUTER ENGLY. D+ 121061H

Q.P. Code: 3555

(3 Hours)

[Total Marks: 80

	N.]	` ') Question No. 1 is compulsory.) Attempt any three of remaining five questions.	
		` '	Assume any suitable data if necessary and clearly state it.	
	1.	(a)	What are aliasing and antialiasing? Explain any one antialiasing method.	[05]
		(b)	What are the disadvantages of DDA algorithm?	[05]
		(£)	What is viewing transformation?	[05]
		(d)	Define Shearing and give example.	[05]
•	2.	(a)	Explain the midpoint circle generating algorithm.	[08]
		(b)	Explain the steps used in rotation of 2-D object about an arbitrary axis and	[12]
			derive the matrices for same.	
	3.	(a)	Expain Liang – Barsky line clipping algorithm with suitable example.	[10]
		(b)	Explain Sutherland - Hodgeman polygon chrping algorithm in detail.	[10]
	4.	(a)	What are Parallel and Perspectiveprojections and derive the matrix for	[10]
			perspective projection.	
•		(b)	Explain the properties of Bezier curves.	[10]
	5.	(a)	What is the use of Scan line method and explain all the steps.	[10]
		(b)	Define Koch curve? How do you construct the Koch curve?	[10]
	6.		Write a short note on any four of the following	[20]
		(a)	OpenC1.	
		(b)	Area Subdivision method	
		(c)	Composite transformation	
		(5)	Sweep representations	
		(e)	Flood fill algorithm	

SE. Comp SemIX CBGS

AOA

21st May 2015

QP Code: 3542

(3 Hours) [Total Marks: 80] N.B. (1) Question No. 1 is compulsory. Attempt any three from the remaining five question. Assume suitable data if required. (a) Write abstract algorithm for greedy design method. Which are different factors considered for sorting elements. (c) Explain flow shop scheduling technique. (d) Explain three cases of master theorem. (a) Write and explain sum of subset algorithm for 10 n = 5, $W = \{2, 7, 8, 9, 15\}$ M = 17(b) Explain randomized version of Quick sort and derive its complexity 10 Implement the bubble sort Algorithm and derive its best case and worst case 10 complexity. 10 (b) Find the Huffman code for the following message. "COLLEGE OF ENGINEERING" (a) What is Hamiltonian cycle? Write an algorithm to find all Hamiltonian cycles. 10 (b) Suppose you are given n number of coins, in that one coin is faulty, its weight 10 is less than standard coin weight. To find the faulty coin in a list using proper searching method. What will be the complexity of searching method. (a) Explain Job sequencing with deadliner for the given instance. 10 $n = 5, \{P_1, P_2, P_3, P_4, P_5\} = \{20, 15, 10, 5, 3\}$ & $\{d_1, d_2, d_3, d_4, d_5\} = \{2, 2, 1, 3, 3\}$ 10 (b) Explain naive string matching algorithm with example. 20 Write note on: (any two) (a) Rabin karp algorithm (b) 15-puzzle problem (c) Travelling sales person problem Strassen's matrix multiplication.

JP-Con.: 9993-15.

Q.P. Code: 3549

						V		
					(3 Hours)		[Total Marks	: 80
N	.B. :	` '	stion No.1 is ompt Any Thro	•	•	Tive Questions.		
1.	(a)		diagram for -R diagram in			ay Reservation	System.	1 û
	(b)		lifference	tional a (ii) (iv)	algebra opera Generalized Rename	tions with exan	aples.	10
2.	(a)				•	•	dule is desirable?	10
	(b)	Explain fo	covery with collowing terms y key (ii) Can	s with	suitable exan		nper key	10
3.	(a) (b)					ies of transactions and BCNF		10 10
4.	(a)	Person (dr. Car (licens Accident (Owns (dri	llowing given iver_id#, namese, model, year report of the licented (drivertid, licented (drivertid,	ne, add ar) e, loca se)	ress) tion)	I. queries:- damage_amou	nt)	10
	(i) (ii) (iii)	Find the multiple the Update the	umber of accid	dents in	which the cafor car with	ers belonging to license number	lved in accident 200 "HT" were involve "Mum2011" in th	ed
	(b)	Describe c	vera'll archite	ecture c	of DBMS wit	h diagram.		10
	- ,	· · · · · · · · · · · · · · · · · · ·	arious types of ort-merge join			. —		10 10
5.		(i) Gene (ii) Total (iii) Divis (iv) Shade	t notes on any ralization and Participation ion Operator ow page records Based query	Aggreend Pand Pand	artial particip	ation		20

S.E.-IV (CBS4s) Computer

(3 Hours)

		(3 Hours) [Total Marks : 8	30
	N.B.	 (1)Question No. 1 is compulsory (2) Attempt any three out of remaining five questions (3) Assumptions made shoud be clearly stated (4) Figures to the right indicate full marks (5) Assume sutaible data whenever required but justify that. 	
Q.1	(a)		/arks : 80 [5M]
	(b)	State and Explain closure properties of Context Free Language	[5M]
	(c)	Explain with an example the Chomsky hierarchy	[5M]
	(d)	Compare recursive and recursively enumerable languages.	[5M]
Q. 2	(a)	Construct PDA accepting the language L={a ⁿ b ⁿ n>0}	[10M]
	(b)	Design minimized DFA for accepting strings ending with 100 over alphabet (0,1).	[10M]
Q. 3	(a)	Convert $(0+\epsilon)(10)^*(\epsilon+1)$ into NFA with ϵ -moves and obtain DFA	[10M]
	(b)	Construct Turing machine that accepts the string over $\Sigma = \{0,1\}$ and converts every occurrence of 111 to 101.	[10M]
Q. 4	(a)	Convert following Grammar to CNF and GNF S → ASB/a/bb A → aSA/a B → SbS/bb	[10M]
	(b)	Design PDA to accept language L={ $a^{n-1} b^{2n+1} n \ge 1$ }	[10M]
Q.5	(a)	Design Moore Machine to generate output A if string is ending with abb, B if string ending with aba and C otherwice over alphabet (a,b). And Convert it to Mealy machine.	[10M]
	(b)	Construct TM to check wellformed ness of parenthesis	[10M]
Q. 6		Write short note on	[20M]
	(a)	Rice theorem:	
	(b)	Variant of TM	
	(c)	Applications of Regular Expression	

Difference between PDA and NPDA

Q.P. Code: 3541

(3 Hours)

[Total Marks: 80

N.B.: (1) Question No.1 is compulsory.

- (2) Attempt any three questions from Question No. 2 to 6.
- (3) Use of stastical Tables permitted.
- (4) Figures to the right indicate full marks.

1. (a) Show that
$$\int_{C} \log z \, dz = 2\pi i$$
, where C is the unit circle in the z - plane.

(b) If
$$A = \begin{bmatrix} 1 & 0 \\ 2 & 4 \end{bmatrix}$$
 then find the eigen values of $4A^{-1} + 3A + 2I$.

- (c) It is given that the means of x and y are 5 and 10. If the line of regression of y on x is parallel to the line 20y = 9x + 40, estimate the value of y for x = 30.
- (d) Find the dual of the following L.P.P.

Maximise
$$Z = 2x_1 - x_2 + 3x_3$$

Subject to $x_1 - 2x_2 + x_3 \ge 4$
 $2x_1 + x_3 \le 10$
 $x_1 + x_2 + 3x_3 = 20$
 $x_1, x_3 \le 0$, x_2 unrestricted.

2. (a) Evalute
$$\int_{C} \frac{z+2}{z^3-2z^2} dz$$
, where C is the circle $|Z-2-i|=2$

(b) Show that
$$A = \begin{bmatrix} 7 & 4 & -1 \\ 4 & 7 & -1 \\ -4 & -4 & 4 \end{bmatrix}$$
 is derogatory.

- In a distribution exactly normal 7% of items are under 35 and 89% of the items are under 63. Find the probability that an item selected at random lies between 45 & 56.
- 3. (a) A continuous random variable has probability density function $f(x) = 6(x x)^2$, 6 $0 \le x \le i$. Find (i) mean (ii) variance.

Maximise
$$Z = 4x_1 + 3x_2 + 6x_3$$

Subject to $2x_1 + 3x_2 + 2x_3 \le 440$
 $4x_1 + 3x_3 \le 470$
 $2x_1 + 5x_2 \le 430$
 $x_1, x_2, x_3 \le 0$

6

3. (c) Find all possible Laurent's expansions of the function

8

$$f(z) = \frac{7z-2}{z(z-2)(z+1)}$$
 about $z = -$

4. (a) Find the moment generating function of Binomial distribution & hence find mean and variance.

(b) Calculate the correlation coefficient from the following data:

X	•	100	200	300	400	500
У	•	30	40	50	60	70

(c) Show that the matrix $A = \begin{bmatrix} 8 & -6 & 2 \\ -6 & 7 & -4 \\ 2 & -4 & 3 \end{bmatrix}$

8

is diagonalisable. Find the transforming matrix and the diagonal matrix.

- 5. (a) Ten individuals are chosen at random from a population and their heights are found to be 63, 63, 64, 65, 66, 69,69, 70, 70, 71 inches. Discuss the suggestion that the mean height of the universe is 65 inches.
 - (b) Evaluate $\int_{0}^{\infty} \frac{dx}{(x^2 + a^2)^3}$ a > 0 using contour integration.
 - (c) Use Kuhn Tucker conditions to solve the following N.L.P.P.

Maximise $Z = 8x_1 + 10x_2 - x_1^2 - x_2^2$ subject to $3x_1 + 2x_2 \le 6$

subject to $3x_1 + 2x_2 \le$

 $x_1, x_2 \geq 0$

6. (a) A die was thrown 132 times and the following frequencies were observed.

6

8

No. obtained:	1	2	3	4	5	6	Total
Frequency:	15	20	25	15	29	28	132

3

(b) Using duality solve the following L. P. P.

Maximise $Z = 5x_1 - 2x_2 + 3x_3$ Subject to $2x_1 + 2x_2 - x_3 \ge 2$ $3x_1 - 4x_2 \le 3$ $x_1 + 3x_3 \le 5$ $x_1, x_2, x_3 \ge 0$

- (c) (i) A random sample of 50 items gives the mean 6.2 and standard deviation 10.24, can it be regarded as drawn from a normal population with mean 5.4 at 5% level of significance?
 - (ii) Find the M.G.F. of the following distribution.

X:	-2	3	1
P(X=x)	<u>1</u> 3	<u>1</u> 2	<u>1</u> 6

Hence find first four central moments.

27/5/15

S.E. Serm IV (CBas). (Computer & I.T.) COA

N.B.:- (1) Question no.1 is compulsory.

QP Code: 3546

(3 Hours)

Total Marks: 80

	(2) Solve any three questions out of remaining five questions.	
	(3) Assume suitable data if necessary.	
1.	(a)	What are applications of Microprogramming?	3
	(b)	What is stored program concept in digital computer?	3
	(c)	List the Flynn's Classification of Parallel Processing Systems.	3
	(d)	Draw flowchart for Booth's Algorithm for Twos Complement Multiplication.	3
	(e)	What is Associative memory?	4
	(f)	Explain in brief Programmed I/O.	4
2.	(a)	Explain with diagram functioning of Hardwired Control Unit.	8
	(b)	Using Unsigned Binary Division method, divide 7 by 3.	6
	(c)	Explain IEEE 754 standards for Floating Point number representation.	6
3.	(a)	Describe what are the features of cache design?	8
	(b)	What are the differences between RISC and CISC processors?	6
	(c)	Explain concepts of Nano programming.	6
1.	(a)	What are major requirements for an I/O module?	6
	(b)	Explain in details Virtual Memory, Segmentation and Paging.	7
	(c)	Explain in details Cache Coherency.	7
).	(a)	What is instruction pipelining? what are advantages of pipelining?	6
	(b)	Explain DMA based data transfer technique for I/O devices.	7
	(c)	Explain Microinstruction sequencing and execution.	7
5. '	Writ	e short note on:	
	(a)	Pipeline Hazards.	7
	(b)	Scanner.	7
	(c)	Interrunt driven 1/0	6