Q.P. Code: 549802

		(3 Hours)   Total Marks:	80
N.		<ol> <li>Question No .1 is compulsory.</li> <li>Solve any three questions out of remaining five questions.</li> <li>Assume suitable data if necessary.</li> </ol>	
1.	Sol	ve any <b>four</b> out of <b>five</b> :-  (a) Explain the types of microinstruction formats.  (b) Draw and explain the flowchart of Add and Shift method of integer multiplication.  (c) What the functions of following registers?  (i) Z (ii) SP (iii) MAR (iv) MDR (v) Y  (d) Compare SRAM and DRAM.  (e) With the help of diagram, explain Von-Neumann architecture.	20
2.	(a) (b)	Multiply (-9) and (4) using Booth's algorithm.  Explain different addressing modes with example.	10 10
3	(b)	Express (28.75) <sub>10</sub> in the IEEE 754 single and double precision standard of floating point representation.  Explain design of control unit w.r.t. microprogrammed and hardwired approach.	
4.	a) b)	Explain different mapping techniques of Cache memory.  Explain Flynn's classification in detail.	10 10
5	a) b)	Draw and explain six stage instruction pipeline and the various hazards. What is the need of DMA? Explain its various techniques of data transfer.	
6.	a)	Find out page hit and miss for the following string using FIFO, LRU and OPTIMAL page replacement policies considening a frame size of three. 2, 3, 3, 1, 5, 2, 4, 5, 3, 2, 5, 2.	10
	<b>b</b> )	Divide 15 by 4 using restoring division algorithm.	10

## Meb Programming

Q.P. Code: 549902

#### (3 Hours)

| Total Marks: 80

			(3 ł	dours)	Total Marks: 80	
N.	I	(2) Solve any	No. 1 is compulsor three questions or uitable data if requ	ut of remaining	questions.	
1.	(b) (c)	Write a JavaSc Explain PHP s	Browser Compatibication code to change tring functions. thods of session trace	a background c		<ul><li>5</li><li>5</li><li>5</li></ul>
2.	` ,	Write HTML c		table, Hyperlin	ncluded in the web page. k, character formatting,	10 10
3.	` ′		rogram to insert a reXSL and XPATH v		QL database.	10 10
4.	\ /	Explain Built in Differentiate for i) GET and Pointial SE ii) JSP and SE	OST	ript.		10 10
5.	(b)	Explain JDBC Explain Servle Write HTML c	v. Teg	iven below:		10 5 5
		It	ems	Price		
		Shirt	Tṛōuser			
		Rs. 400/-	Rs. 600/-	Rs.1000/-		
		<b></b>				

6.	(a) What is JQUERY? Illustrate the use of JQUERY for FORM validation.	1(
	(L) Develois 1882 arrala of ACDNIDT and Location	4.0

(b) Explain life cycle of ASP.NET application.

11

H

### SUB: - Computer NIW

QP Code: 549602

		(3 Hours) [Total Marks:	80
V.	В.:	<ol> <li>Question no. 1 is compulsory</li> <li>Attempt any three questions from the remaining questions.</li> <li>Total four questions need to be solved.</li> </ol>	
•	Ans	swer any <b>four</b>	20
		(a) Compare slotted ALOHA and Pure ALOHA.	
		(b) Explain selective repeat protocol.	
		(c) Explain TCP timer	
		(d) Compare Linux and windows operating system	
		(e) Explain PSTN.	
2.		What is OSI model? Give the functions and services of each layer.	10
	(b)	Explain Guided Transmission media in detail.	10
<b>t</b>	(a)	What are the different types of routing algorithms? Explain shortest path routing	10
٠.	(a)	algorithm in detail?	10
	(b)	Explain (i) IP address (ii) Subnet Mask	6
			4
	\ /	discards? Why?	
<b>ŀ.</b>	(a)	Draw and explain TCP segment heade.	10
	(b)	Explain TCP Congestion Control.	10
		What is HDLC? Explain the frame formats of I-frame, U- frame and S-Frame?	10
	` /	Compare Connetionless and connection oriented services.	5
	(c)	Explain Traditional Ethernet	5
·	<b>XX</b> 7	ita ahart nataa an fallawing (any faur)	20
).	VV I .	ite short notes on following (any <b>four</b> )  (i) Compare LAN, MAN, WAN	20
		(ii) BGP	
		(iii) Explain CRC with example	
		<ul><li>(iv) CDMA/CA</li><li>(v) Bridges, Router, Switches.</li></ul>	

# Jufo. Th. 2 codiy QP Code: 30802

(3 Hours)	[Total: 80 marks
Note: 1. Question no. 1 is compulsory  2. Answer three questions out of remaining five of 3. Figures to right indicate marks  4. Answers of same questions to be grouped and	-
1. a) write a note on convolution code.	[4]
b) State Fermat's little theorem and its application	ns [4]
c) Define entropy and explain types of entropy	[4]
d) Explain cyclic codes.	[4]
e) What is compression. List different compression	n algorithm. [4]
2. a) Name the source coding technique used in the following	lowing types of files and
Classify them as lossy or lossless.	[10]
i).Zip ii).jpg iii).mpg iv).bmp v).gif	
b) For(7,4) cyclic code, find out the generator r	natrix if $G(D)=1+D+D^3$ [10]
3 a) Explain Diffie-Hellman algorithm. Which at	ttack is it vulnerable to? [10]
b) Construct Huffman code for the given symbo	ls{x1, x2X8} with
probabilitiesP(x)= $\{0.07, 0.08, 0.04, 0.26, 0.14, 0.09\}$	9, 0.07, 0.25}
Find coding efficiency.	[10]
4. a) Explain LZW compression with example.	[10]
b)State Chinese Remainder theorem. Using it so	olve for X.
X=1 MOD 2	
X=2 MOD 3	
X=2 MOD 5	[10]
5 a) what do you mean by symmetric key cryptogra	aphy? Explain DES in detail. [10]
b) Define i) Hamming weight ii) Hamming Distance	e iii)Syndrome
iv)Linear code properties v)Code Effic	ciency [10]
6. Write short notes on	[20]
a) RSA b) RLE c) Security Goals d) Digital signature.	

### SE-SEM-IV I.T. CBSGS


### Automata Theory-

**OP Code :549701** 

(3 Hours)

[Total Marks: 80

- (1) Question no. 1 is compulsory.
- (2) Solve any Three questions from remaining questions.
- (3) Draw diagrams wherever necessary.
- What is the complement of the language accepted by the NFA shown below? (a) Assume  $S = \{a\}$  and  $\epsilon$  is the empty string.



- Definition of a language L with alphabet  $\{a\}$  is given as following  $\{a^{nk} | k > 0, \text{ and } n \text{ is a positive integer constant }\}$ (b) What is the minimum number of states needed in a DFA to recognize L?
  - What is Multi-Tape Turing Machine?
- Design Mealy Machine to convert each occurrence of substring 1000 by 1001. (d)
- State that whether a following Language is Regular or not. (e)
- $L=\{WW^R \mid |W|=2 \text{ over } \sum =\{a,b\}\}$
- $L=\{WW^R \mid W\epsilon(a,b)^*\}$
- Give formal definition of a Turing Machine. (a)
  - Write a regular expression for the following languages, over sigma={a,b}. 10 (b)
    - 1. Seventh symbol from right must be a.
    - 2. Every second character is b.
    - 3. Exactly one ab.
  - Explain Chomsky Hierarchy.

3	(a)	Construct a TM for accepting Even palindromes.	10
	(b)	Design PDA For recognizing $L=\{a^n b^{2n+1} \mid n>=1\}$	10
4	(a)	Convert the following grammar to Chomsky Normal Form. Show all the relevant steps briefly.  S>bA   aB  A>bAA   aS   a  B>aBB   bS   b	10
	(b)	Give the technical strategy to convert CFG to GNF. Convert the following grammar to GNF.	10
		$S \rightarrow AA \mid a$ $A \rightarrow SS \mid b$	
5	(a)	Enumerate the differences between finite automata and non-deterministic automata?	
	(b)	Construct NFA, DFA for the regular Expression R=ab(a+b)+abb. Obtain minimized DFA.	7
	(c)	Give formal definition of a Push Down Automata(PDA).	5
6		Write short notes on:- (Any Two)	20
	(a)	Unsolvable problems	
	(b)	Recursive and Recursively enumerable languages.	
	(c)	Simplification Of CFG.	

[Total Marks: 80

N.B.: (1) Question No. one is compulsory.

- (2) Answer any three questions from Q.2 to Q.6
- (3) Use of stastical Tables permitted.
- (4) Figures to the right indicate full marks
- 1. (a) Find the Eigen values of  $A^2 + 2I$ , where  $A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & -2 & 0 \\ 3 & 5 & 3 \end{bmatrix}$  and I is the Identity matrix of order 2

- (b) Evaluate the line integral  $\int_0^{1+i} (x^2 + iy) dz$  along the path y = x. If x is a continuous random variable x = x.

$$f(x) = \begin{cases} k(x - x^3) & 0 \le x \le 1 \\ 0 & otherwise \end{cases},$$

Find i) k ii) the mean of the distribution.

(d) Compute Spearman's rank correlation coefficient from the following data

X	18	20	34	52	12
Y	39	23	35	18	46

$$\begin{bmatrix}
5 & -6 & -6 \\
-1 & 4 & 2 \\
3 & -6 & -4
\end{bmatrix}$$

(b) Evaluate 
$$\oint_C \frac{e^{2z}}{(z-1)^4} dz$$
 where c is the circle  $|z| = 2$ 

2. (a) Is the following matrix Derogatory? Justify.  $\begin{bmatrix}
5 & -6 & -6 \\
-1 & 4 & 2 \\
3 & -6 & -4
\end{bmatrix}$ (b) Evaluate  $\oint_C \frac{e^{2z}}{(z+1)^4} dz$  where c is the circle |z| = 2(c) The marks of 1000 students in an Examination are found to be normally distributed with mean 70 and standard deviation 5, estimate the number of students wkose marks will be i) between 60 and 75 ii) more than 75.

[Turn over

3. (a) Solve the following non-linear programming problem using Kuhn-Tucker conditions

Maximize 
$$z = 10x_1 + 4x_2 - 2x_1^2 - x_2^2$$

Subject to 
$$2x_1 + x_2 \le 5$$
; and  $x_1, x_2 \ge 0$ 

(b) Fit a Binomial distribution to the following data

x	0	1	2	3	4	5	6
F	5	18	28	12	7	6	4

(c) Is the following matrix diagonalizable? If yes, find the transforming matrix and the diagonal matrix.

$$\begin{bmatrix} 8 & -8 & -2 \\ 4 & -3 & -2 \\ 3 & -4 & 1 \end{bmatrix}$$

4. (a) Solve the following LPP using Simplex method

$$\begin{bmatrix} 8 & -8 & -2 \\ 4 & -3 & -2 \\ 3 & -4 & 1 \end{bmatrix}$$
we the following LPP using Simplex method
$$\text{Maximize } z = 4x_1 + x_2 + 3x_3 + 5x_4$$

$$\text{Subject to } -4x_1 + 6x_2 + 5x_3 + 4x_4 \ge 20$$

Subject to 
$$-4x_1 + 6x_2 + 5x_3 + 4x_4 \le 20$$

$$-3x_1 - 2x_2 + 4x_3 + x_4 \le 10$$

$$-8x_1 - 3x_2 + 3x_3 + 2x_4 \le 20$$

$$x_1, x_2, x_3, x_4 \ge 0$$
random variable  $X$  follows the Poisson distribution so

(b) If a random variable X follows the Poisson distribution such that

P(X = 1) = 2P(X = 2), find the mean, the variance of the distribution and

$$P(X=3) \qquad \bigcirc$$

(c) Expand  $f(z) = \frac{1}{z(z-2)(z+1)}$  in the regions

i)  $|z| \ll 1$ , ii) 1 < |z| < 2, iii) |z| > 2

i) 
$$|z| \iff 1$$
, ii)  $1 < |z| < 2$ , iii)  $|z| > 2$ 

[Turn over

- 5. (a) Evaluate using Cauchy's Residue theorem  $\oint_C \frac{2z-1}{z(2z+1)(z+2)} dz$  where c is |z| = 1.

  - (b) A certain stimulus administered to each of 12 patients resulted in the following change in blood pressure:

$$5, 2, 8, -1, 3, 0, -2, 1, 5, 0, 4, 6$$

Can it be concluded that the stimulus will increase the blood pressure (at 5%) level of significance.)?

(c) Solve the following LPP using the Dual Simplex method

Maximise 
$$z = -3x_1 - 2x_2$$

Subject to 
$$x_1 + x_2 \ge 1$$
  
 $x_1 + x_2 \le 7$ 

$$x_1 + 2x_2 \ge 10$$

$$x_2 \leq 3$$

$$x_1, x_2 \ge 0$$

 $x_2 \le 3$   $x_1, x_2 \ge 0$  6.(a) Find the equations of lines of regression for the following data

x         5         6         7         8         9         10         11           v         11         14         14         15         12         17         16			Withhark							
v 11 14 14 15 12 17 16	x	5	6	7	8	7.9	10	11		
	y	11	14	14	(1.5	12	17	16		

(c) Evaluate  $\int_{-\infty}^{\infty} \frac{x^2}{(x^2+1)(x^2+4)} dx$  using contour integration.

- (b) In an experiments on pea breeding, the following frequencies of seeds were obtained

	Round and	Wrinkled and	Round and	Wrinkled	Total	
	Yellow	yellow	green	and green		
	315	101	108	32	556	
7	heory predicts	that the frequenc	ies should be in	proportions 9:	3:3:1.	
	Examine the co	rrespondence bety	ween theory and	l experiment us	ing Chi-sq	juare Test
92 <sup>2</sup> /						8
LAA						
			<u>.</u>			
327						